# **CPM 3-9**

Oil-injected Screw Compressors - 2.2-7.5 kW/3-10 hp









People.
Passion.
Performance.



## **CPM 3-9** OIL-INJECTED SCREW COMPRESSORS

The CP CPM 3-9 is the ultimate workshop compressor: powerful, easy to use and always reliable. Thanks to its rotary screw technology, you get more air while enjoying lower energy costs. Better yet, you can use it all day long without cool-down periods. Of course you can tailor the CPM to your specifications and preferences. We have a 2.2 to 7.5 kW power range, both floor- and tank-mounted models, and a range of options to custom-build your CPM.



### **EASY TO USE**

- Intuitive controller.
- · Removable panel for easy service.



## **MORE AIR, LOWER ENERGY COSTS**

- Get 15% more air using 12% less energy compared to its predecessor.
- Enjoy continuous use without cool-down periods.



## AN ALL-IN-ONE SOLUTION

The CPM is a complete air system in one compact unit. Even options such as an air dryer, an air receiver or an oil heater are fully integrated to help you save on floor space and operational costs.



## **BUILT TO LAST**

The CPM is built in Europe. Its automated screw air end manufacturing line prevents human error and ensures the CPM is as powerful and reliable in real life as it was designed.



## The workshop compressor





## **COMFORTABLY QUIET**

The CPM 3-9 was built to be installed and used right where you need it: on your shop floor. That is why we made the unit extra quiet. With a sound level as low as 61 dB(A), the CPM is comparable to a household appliance.

# Cost-effective to buy and own

The CPM doesn't require a separate compressor room. That reduces logistical hassles such as piping, but also lowers your operational and your investment costs. How? The CPM does not have to push its air through an elaborate network of pipes. This means less pressure drops and a higher Free Air Delivery, which generates significant energy savings. But it often also frees up the possibility of choosing a lower pressure and power variant of the CPM, and thus to lower your investment cost significantly.



## The all-in-one compressor

#### Advanced screw air end

The CPM 3-9 comes with a new high-efficiency air end that delivers 15% more air and is 12% more efficient than its predecessor.

**IE3 efficiency motor** allows for continuous operation while reducing energy costs.



CPM 5

Aside from the 200, 270 and 500-liter tank-mounted models, floor-mounted units are available in all power sizes.

## **Easy control**

The ES4000 connect controller makes your compressor easier to operate, more reliable and more cost-efficient. And thanks to its automatic software updates, your compressor will even get better over time.



- Easy-to-use display
- · Connectivity for remote monitoring and control
- · DSS advanced energy savings
- · Real-time warnings and shutdown alarms
- Service status, history and notifications
- · Leakage detection
- · Easy pressure band settings via the ICONS app
- · Over-the-air software updates

# **Enhance and customize your CPM**

Thanks to its wide range of options and flexible build, the CPM 3-9 can accommodate all your requirements.



**Line filter**Can be added for high-quality air.



No-loss timer drain
Removes tank condensate.



**500-liter tank**Gives you extra air storage and reduces the risk of condensation.



Oil heater
Prevents intermittent-use condensation
by maintaining a constant oil temperature
while unloading/idle.




**Tropical thermostat**Maintains a higher oil temperature to reduce the risk of condensation.



If you don't use your compressor continuously, investing in condensate prevention is a smart choice. The CPM eliminates the risk of condensation with a host of features, including an oil heater, a tropical thermostat, and a 500-liter tank.

# A CPM that works for you

Do you need advanced reliability features or will a basic version suffice? These four CPM 3-9 configurations mix and match standard components with advanced options to give you a solution that best meets your needs.



## The convincing benefits of screw technology

Are you considering a piston compressor? The rotary screw technology of the CPM 3-9 offers much stronger benefits. A quick comparison of performance, noise, and air quality shows the CPM to be the better workshop solution.



## Stronger performance

The CPM generates more air and does so more efficiently thanks to its superior compression technology.



## **Longer working hours**

While pistons need cooldown periods, the CPM can be used all day long.



#### **Lower sound levels**

The CPM 3-9 emits just 61 to 68 dB(A). Pistons are typically 20 dB(A) louder.



#### Cleaner air

With an oil carry-over of less than 5 ppm, the CPM generates much cleaner air than a typical piston compressor (more than 30 ppm) to protect your pneumatic tools.



# **Technical specifications**

											WEIGHT		
MODEL	MAX. WORKING PRESSURE	REFERENCE WORKING PRESSURE	@ F	AIR DEL REFEREN ONDITION	NCE		TOR WER	NOISE LEVEL **	BASE- MOUNTED	TANK- MOUNTED 200L.	TANK- MOUNTED 200L. + DRYER	TANK- MOUNTED 270L.	TANK- MOUNTED 270L.+ DRYER
	Bar	Bar	m³/h	l/min	cfm	kW	hp	db(A)			kg		
СРМ 3	8	7.5	22.0	366	12.9	2.2	3	61	110	165	190	180	205
CPIVI 3	10	9.5	17.6	294	10.4	2.2	3	01	110	100	190	100	203
CPM 4	8	7.5	28.4	474	16.7	3	4	61	115	170	195	185	210
CPIVI 4	10	9.5	22.0	366	12.9		4						
CPM 5.5	8	7.5	7.5 36.0 600 2	21.2	4	5.5	62	120	175	200	190	215	
CPIVI 5.5	10	9.5	31.0	516	18.2	4	5.5	02	120	173	200	130	213
CPM 7.5	8	7.5	53.3	888	31.4	5.5	7.5	66	130	185	210	200	225
GFWI 7.5	10	9.5	46.8	780	27.5	ე.ე	7.5	00	130	100	210	200	220
СРМ 9	8	7.5	63.7	1062	37.5	7.5	10	68	140	195	225	210	240
	10	9.5	59.0	984	34.7								

<sup>\*</sup> Unit performance measured according to ISO1217, Annex C, latest edition \*\* Noise level measured according to ISO2151 2004

## **Dimensions**

MODEL	LENGTH	WIDTH*	HEIGHT	
Base-mounted	620	630	950	
Tank-mounted 200 L.	1430	600	1260	
Tank-mounted 200 L. with dryer	1430	000	1200	
Tank-mounted 270 L.	1540	600	1350	
Tank-mounted 270 L. with dryer	.0.0		.000	
Tank-mounted 500 L.	1940	605	1500	
Tank-mounted 500 L. with dryer	1040	000		

<sup>\*</sup> Consider an extra width of +65mm. for the 10 hp model.







Since 1901 the Chicago Pneumatic name has represented reliability and attention to customer needs, with construction, maintenance and production tools and compressors designed for specific industrial applications. Today, Chicago Pneumatic has a global reach, with local distributors around the world.

Our people start every single day with a passion to research, develop, manufacture and deliver new products that are meant to meet your needs not only today, but tomorrow as well. To learn more, visit **www.cp.com.** 

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.

